

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)
Issue date: 4/1/2026 Version: 1.0

SECTION 1 Identification

1.1. Product identifier

Product form : Mixture
Product name : Group 2- Heat Resistant SAR Cover Stock
Product code : 1008

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Manufacture of rubber products
Restrictions on use : Not determined

1.4. Supplier's details

Fenner Dunlop Americas
200 Corporate Center Drive, Suite 220
Coraopolis, PA, 15108
T 412-249-0700
info@fennerdunlop.com

1.5. Emergency phone number

Emergency number : CHEMTREC, U.S. : 1-800-424-9300 International: +1-703-527-3877 (24/7)

SECTION 2 Hazard Identification

2.1. Classification of the substance or mixture

GHS US classification

Skin sensitization, Category 1	H317	May cause an allergic skin reaction.
Carcinogenicity, Category 2	H351	Suspected of causing cancer.
Hazardous to the aquatic environment — Acute Hazard, Category 1	H400	Very toxic to aquatic life.
Hazardous to the aquatic environment — Chronic Hazard, Category 3	H412	Harmful to aquatic life with long lasting effects.
Combustible dust		May form combustible dust concentrations in air [if small particles are generated during further processing, handling or by other means.].

Full text of H statements : see section 16

2.2. Label elements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) :

Warning

Hazard statements (GHS US) :

CODU - May form combustible dust concentrations in air [if small particles are generated during further processing, handling or by other means.]
H317 - May cause an allergic skin reaction
H351 - Suspected of causing cancer.
H400 - Very toxic to aquatic life
H412 - Harmful to aquatic life with long lasting effects

Group 2- Heat Resistant SAR Cover Stock

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

Precautionary statements (GHS US) : P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P261 - Avoid breathing dust, fume, gas, mist, vapors, spray.
P272 - Contaminated work clothing must not be allowed out of the workplace.
P273 - Avoid release to the environment.
P280 - Wear protective gloves, protective clothing, eye protection, face protection, and hearing protection.
P302+P352 - If on skin: Wash with plenty of water.
P308+P313 - If exposed or concerned: Get medical advice/attention.
P321 - Specific treatment (see supplemental first aid instruction on this label).
P333+P313 - If skin irritation or rash occurs: Get medical advice or attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P391 - Collect spillage.
P405 - Store locked up.
P501 - Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

2.4. Hazards not otherwise classified

No additional information available

2.5. Unknown acute toxicity

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Carbon black	CAS-No.: 1333-86-4	10 – 30	Carc. 2, H351
Distillates, petroleum, hydrotreated heavy naphthenic	CAS-No.: 64742-52-5	7 – 13	Carc. 1B, H350
Resin acids and rosin acids, potassium salts	CAS-No.: 61790-50-9	1 – 5	Eye Irrit. 2, H319 Aquatic Chronic 4, H413
1,4-Benzenediamine, N1-(1,3-dimethylbutyl)-N4-phenyl-	CAS-No.: 793-24-8	1 – 5	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Zinc oxide (ZnO)	CAS-No.: 1314-13-2	1 – 5	Aquatic Acute 1, H400 Aquatic Chronic 2, H411
N-tert-Butyl-2-benzothiazolesulfenamide	CAS-No.: 95-31-8	0.1 – 1	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Group 2- Heat Resistant SAR Cover Stock

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

Name	Product identifier	%	GHS US classification
Thiram	CAS-No.: 137-26-8	0.1 – 1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Coumarone-indene resin	CAS-No.: 63393-89-5	0.1 – 1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411
4,4'-Dithiodimorpholine	CAS-No.: 103-34-4	0.1 – 1	Skin Sens. 1, H317 STOT SE 3, H335 Aquatic Chronic 2, H411
Rosin	CAS-No.: 8050-09-7	0.61	Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Sens. 1, H317

Full text of hazard classes and H-statements : see section 16

SECTION 4 First aid measures

4.1. Description of necessary first-aid measures

First-aid measures general	: IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
Personal protection for first-aid responders.	: First-aiders should consider self-protection and use the recommended personal protective equipment (see section 8).

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation	: None under normal conditions. Dust of the product, if present, may cause respiratory irritation after an excessive inhalation exposure.
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after eye contact	: None under normal conditions. Dust from this product may cause eye irritation.
Symptoms/effects after ingestion	: None under normal conditions.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard	: May form combustible dust concentrations in air.
-------------	--

Group 2- Heat Resistant SAR Cover Stock

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

Explosion hazard : No direct explosion hazard.
Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Precautionary measures fire : Evacuate area. Eliminate all ignition sources if safe to do so. Exercise caution when fighting any chemical fire.
Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.
Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures : Evacuate unnecessary personnel.
Environmental precautions : Avoid release to the environment.

6.2. Methods and materials for containment and cleaning up

For containment : Collect spillage.
Methods for cleaning up : Mechanically recover the product. Notify authorities if product enters sewers or public waters.
Other information : Dispose of materials or solid residues at an authorized site.

For further information refer to section 13.

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid dust formation.
Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

7.2. Conditions for safe storage, including incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.
Storage conditions : Store locked up.

Group 2- Heat Resistant SAR Cover Stock

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

Carbon black (1333-86-4)	
USA - ACGIH® - Threshold Limit Values	
ACGIH® TLV® TWA	3 mg/m ³ (inhalable particulate matter)
ACGIH® chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans
USA - OSHA - Occupational Exposure Limits	
OSHA PEL TWA	3.5 mg/m ³
USA - IDLH - Occupational Exposure Limits	
IDLH	1750 mg/m ³
USA - NIOSH - Occupational Exposure Limits	
NIOSH REL (TWA)	3.5 mg/m ³ 0.1 mg/m ³ (Carbon black in presence of Polycyclic aromatic hydrocarbons)
Zinc oxide (ZnO) (1314-13-2)	
USA - ACGIH® - Threshold Limit Values	
ACGIH® TLV® TWA	2 mg/m ³ (respirable particulate matter)
ACGIH® TLV® STEL	10 mg/m ³ (respirable particulate matter)
USA - OSHA - Occupational Exposure Limits	
OSHA PEL TWA	5 mg/m ³ (fume) 15 mg/m ³ (total dust) 5 mg/m ³ (respirable fraction)
USA - IDLH - Occupational Exposure Limits	
IDLH	500 mg/m ³
USA - NIOSH - Occupational Exposure Limits	
NIOSH REL (TWA)	5 mg/m ³ (dust and fume)
NIOSH REL (STEL)	10 mg/m ³ (fume)
NIOSH REL (Ceiling)	15 mg/m ³ (dust)
Thiram (137-26-8)	
USA - ACGIH® - Threshold Limit Values	
ACGIH® TLV® TWA	0.05 mg/m ³ (inhalable fraction and vapor)
ACGIH® chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer
USA - OSHA - Occupational Exposure Limits	
OSHA PEL TWA	5 mg/m ³
USA - IDLH - Occupational Exposure Limits	
IDLH	100 mg/m ³
USA - NIOSH - Occupational Exposure Limits	
NIOSH REL (TWA)	5 mg/m ³

Group 2- Heat Resistant SAR Cover Stock

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

Rosin (8050-09-7)

USA - ACGIH® - Threshold Limit Values

ACGIH® TLV® TWA	0.001 mg/m ³ (inhalable particulate matter)
ACGIH® chemical category	dermal sensitizer

8.2. Appropriate engineering controls

Appropriate engineering controls	: Ensure good ventilation of the work station.
Environmental exposure controls	: Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Type	Material	Permeation	Thickness (mm)	Penetration
Disposable gloves	Nitrile rubber (NBR)			

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	: Solid
Appearance	: Opaque.
Color	: Black
Odor	: Odorless
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: Not applicable

Group 2- Heat Resistant SAR Cover Stock

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

Decomposition temperature	: No data available
Viscosity, kinematic	: Not applicable
Explosion limits	: Not applicable
Particle characteristics	: No data available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid dust formation. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11 Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified.
Acute toxicity (dermal)	: Not classified.
Acute toxicity (inhalation)	: Not classified.

Resin acids and rosin acids, potassium salts (61790-50-9)	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
Carbon black (1333-86-4)	
LD50 oral rat	> 10000 mg/kg (Source: ECHA)
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)
Distillates, petroleum, hydrotreated heavy naphthenic (64742-52-5)	
LD50 oral rat	> 5000 mg/kg (Source: EPA_HP)
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)
1,4-Benzenediamine, N1-(1,3-dimethylbutyl)-N4-phenyl- (793-24-8)	
LD50 oral rat	3580 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 7940 mg/kg (Source: NLM_CIP)

Group 2- Heat Resistant SAR Cover Stock

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

1,4-Benzenediamine, N1-(1,3-dimethylbutyl)-N4-phenyl- (793-24-8)	
ATE US (oral)	3580 mg/kg body weight
N-tert-Butyl-2-benzothiazolesulfenamide (95-31-8)	
LD50 oral rat	6310 mg/kg (Source: ECHA_API)
LD50 dermal rabbit	> 7940 mg/kg (Source: NLM_CIP)
ATE US (oral)	6310 mg/kg body weight
Zinc oxide (ZnO) (1314-13-2)	
LD50 oral rat	> 5000 mg/kg (Source: EU_RAR)
LD50 dermal rat	> 2000 mg/kg (Source: ECHA)
LC50 Inhalation - Rat	> 5700 mg/m ³ (Exposure time: 4 h Source: ECHA_API)
Thiram (137-26-8)	
LD50 oral rat	1080 mg/kg (Source: EPA_HPVS)
LD50 dermal rabbit	> 7940 mg/kg (Source: CHEMVIEW)
LC50 Inhalation - Rat	500 mg/m ³ (Exposure time: 4 h Source: NLM_CIP)
ATE US (oral)	500 mg/kg body weight
ATE US (dust, mist)	1.5 mg/l/4h
4,4'-Dithiodimorpholine (103-34-4)	
LD50 oral rat	4300 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 5010 mg/kg (Source: EPA_HPVS)
ATE US (oral)	4300 mg/kg body weight
Rosin (8050-09-7)	
LD50 oral rat	7600 mg/kg (Source: CHEMVIEW)
LD50 dermal rabbit	> 2500 mg/kg (Source: JAPAN_GHS)
LC50 Inhalation - Rat	1.5 mg/l/4h
ATE US (oral)	7600 mg/kg body weight
ATE US (vapors)	1.5 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
Skin corrosion/irritation	: Not classified.
Zinc oxide (ZnO) (1314-13-2)	
pH	6.95 (American Process)
Serious eye damage/irritation	: Not classified.
Zinc oxide (ZnO) (1314-13-2)	
pH	6.95 (American Process)
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified.
Carcinogenicity	: Suspected of causing cancer.
Carbon black (1333-86-4)	
IARC group	2B - Possibly carcinogenic to humans

Group 2- Heat Resistant SAR Cover Stock

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

Carbon black (1333-86-4)	
In OSHA Hazard Communication Carcinogen list	Yes
Thiram (137-26-8)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified.
STOT-single exposure	: Not classified.
4,4'-Dithiodimorpholine (103-34-4)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified.
Thiram (137-26-8)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified.
Group 2- Heat Resistant SAR Cover Stock	
Viscosity, kinematic	Not applicable
Symptoms/effects after inhalation	: None under normal conditions. Dust of the product, if present, may cause respiratory irritation after an excessive inhalation exposure.
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after eye contact	: None under normal conditions. Dust from this product may cause eye irritation.
Symptoms/effects after ingestion	: None under normal conditions.

SECTION 12 Ecological information

12.1. Ecotoxicity

Ecology - general	: Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Very toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic)	: Harmful to aquatic life with long lasting effects.

Distillates, petroleum, hydrotreated heavy naphthenic (64742-52-5)	
LC50 - Fish [1]	> 5000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IUCLID)
EC50 - Crustacea [1]	> 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)
1,4-Benzenediamine, N1-(1,3-dimethylbutyl)-N4-phenyl- (793-24-8)	
LC50 - Fish [1]	0.4 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: IUCLID)
EC50 - Crustacea [1]	0.51 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 96h - Algae [1]	0.6 mg/l (Species: Pseudokirchneriella subcapitata)
N-tert-Butyl-2-benzothiazolesulfenamide (95-31-8)	
LC50 - Fish [1]	> 0.3 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: IUCLID)
EC50 - Crustacea [1]	> 0.3 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 - Fish [2]	> 0.3 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)
EC50 96h - Algae [1]	> 0.3 mg/l (Species: Pseudokirchneriella subcapitata)
Zinc oxide (ZnO) (1314-13-2)	
LC50 - Fish [1]	1.55 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA)

Group 2- Heat Resistant SAR Cover Stock

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

Thiram (137-26-8)	
LC50 - Fish [1]	0.0003 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static] Source: EPA)
EC50 - Crustacea [1]	0.21 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 - Fish [2]	0.13 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus Source: IUCLID)
EC50 96h - Algae [1]	< 0.1 mg/l (Species: Desmodesmus subspicatus)
NOEC (acute)	225 mg/kg (Exposure time: 14 Days - Species: Eisenia foetida [soil dry weight])

Rosin (8050-09-7)	
EC50 - Crustacea [1]	3.8 - 5.4 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h - Algae [1]	400 mg/l (Species: Desmodesmus subspicatus)

12.2. Persistence and degradability

Group 2- Heat Resistant SAR Cover Stock	
Persistence and degradability	Not rapidly degradable

12.3. Bioaccumulative potential

Resin acids and rosin acids, potassium salts (61790-50-9)	
Partition coefficient n-octanol/water (Log Pow)	5.046 (at 20 °C (at pH 7))

1,4-Benzenediamine, N1-(1,3-dimethylbutyl)-N4-phenyl- (793-24-8)	
BCF - Fish [1]	12 - 23 (whole body w.w.)
Partition coefficient n-octanol/water (Log Pow)	5.4

N-tert-Butyl-2-benzothiazolesulfenamide (95-31-8)	
Partition coefficient n-octanol/water (Log Pow)	3.36 (at 25 °C (at pH 6.9))

Thiram (137-26-8)	
BCF - Fish [1]	(91 dimensionless)
Partition coefficient n-octanol/water (Log Pow)	1.9 (at pH 10)

4,4'-Dithiodimorpholine (103-34-4)	
Partition coefficient n-octanol/water (Log Pow)	2.67 (at 22 °C (at pH 7.7))

Rosin (8050-09-7)	
Partition coefficient n-octanol/water (Log Pow)	(>1.9 - <=7.7 (at pH 2))

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Ozone : Not classified.
Fluorinated greenhouse gases : No

SECTION 13 Disposal considerations

Regional waste regulation : Disposal must be done according to official regulations.
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Group 2- Heat Resistant SAR Cover Stock

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Comply with applicable regulations for solid waste disposal. Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.
Ecological waste information	: The waste of the product should be considered as hazardous as the product itself, with the likelihood of impacting the environment in the same way. Consider the handling and disposal of the waste as defined by the product itself.

SECTION 14 Transport information

In accordance with DOT / IMDG / IATA

14.1. UN number

UN-No. (DOT)	: Not regulated
UN-No. (IMDG)	: Not regulated
UN-No. (IATA)	: Not regulated

14.2. UN Proper Shipping Name

Proper Shipping Name (DOT)	: Not regulated
Proper Shipping Name (IMDG)	: Not regulated
Proper Shipping Name (IATA)	: Not regulated

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT)	: Not regulated
----------------------------------	-----------------

IMDG

Transport hazard class(es) (IMDG)	: Not regulated
-----------------------------------	-----------------

IATA

Transport hazard class(es) (IATA)	: Not regulated
-----------------------------------	-----------------

14.4. Packing group

Packing group (DOT)	: Not regulated
Packing group (IMDG)	: Not regulated
Packing group (IATA)	: Not regulated

14.5. Environmental hazards

Other information	: No supplementary information available.
-------------------	---

14.6. Transport in bulk

Not applicable

14.7. Special precautions for user

DOT

Not regulated

IMDG

Not regulated

IATA

Not regulated

Group 2- Heat Resistant SAR Cover Stock

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

SECTION 15 Regulatory information

15.1. Federal regulations

Group 2- Heat Resistant SAR Cover Stock

SARA Section 311/312 Hazard Classes	Physical hazard - Combustible dust Health hazard - Respiratory or skin sensitization Health hazard - Carcinogenicity
-------------------------------------	--

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Thiram	CAS-No. 137-26-8	0.1 – 1%
--------	------------------	----------

Thiram (137-26-8)

CERCLA RQ	10 lb
-----------	-------

15.2. International regulations

CANADA

Resin acids and rosin acids, potassium salts (61790-50-9)

Listed on the Canadian DSL (Domestic Substances List)

Carbon black (1333-86-4)

Listed on the Canadian DSL (Domestic Substances List)

Distillates, petroleum, hydrotreated heavy naphthenic (64742-52-5)

Listed on the Canadian DSL (Domestic Substances List)

1,4-Benzenediamine, N1-(1,3-dimethylbutyl)-N4-phenyl- (793-24-8)

Listed on the Canadian DSL (Domestic Substances List)

N-tert-Butyl-2-benzothiazolesulfenamide (95-31-8)

Listed on the Canadian DSL (Domestic Substances List)

Zinc oxide (ZnO) (1314-13-2)

Listed on the Canadian DSL (Domestic Substances List)

Thiram (137-26-8)

Listed on the Canadian DSL (Domestic Substances List)

Coumarone-indene resin (63393-89-5)

Listed on the Canadian DSL (Domestic Substances List)

Group 2- Heat Resistant SAR Cover Stock

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

4,4'-Dithiodimorpholine (103-34-4)

Listed on the Canadian DSL (Domestic Substances List)

Rosin (8050-09-7)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

Resin acids and rosin acids, potassium salts (61790-50-9)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Carbon black (1333-86-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Distillates, petroleum, hydrotreated heavy naphthenic (64742-52-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

1,4-Benzenediamine, N1-(1,3-dimethylbutyl)-N4-phenyl- (793-24-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

N-tert-Butyl-2-benzothiazolesulfenamide (95-31-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Zinc oxide (ZnO) (1314-13-2)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Thiram (137-26-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

4,4'-Dithiodimorpholine (103-34-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Rosin (8050-09-7)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Group 2- Heat Resistant SAR Cover Stock

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

National regulations

Resin acids and rosin acids, potassium salts (61790-50-9)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)
Listed on Thailand Existing Chemicals Inventory (DIW)

Carbon black (1333-86-4)

Listed on IARC (International Agency for Research on Cancer)
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)
Listed on Thailand Existing Chemicals Inventory (DIW)

Distillates, petroleum, hydrotreated heavy naphthenic (64742-52-5)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)
Listed on Thailand Existing Chemicals Inventory (DIW)

1,4-Benzenediamine, N1-(1,3-dimethylbutyl)-N4-phenyl- (793-24-8)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Japanese Pollutant Release and Transfer Register Law (PRTR Law)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)
Listed on Thailand Existing Chemicals Inventory (DIW)

Group 2- Heat Resistant SAR Cover Stock

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

N-tert-Butyl-2-benzothiazolesulfenamide (95-31-8)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Japanese Pollutant Release and Transfer Register Law (PRTR Law)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)
Listed on Thailand Existing Chemicals Inventory (DIW)

Zinc oxide (ZnO) (1314-13-2)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)
Listed on Thailand Existing Chemicals Inventory (DIW)

Thiram (137-26-8)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Japanese Pollutant Release and Transfer Register Law (PRTR Law)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)
Listed on Thailand Existing Chemicals Inventory (DIW)

Coumarone-indene resin (63393-89-5)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)
Listed on Thailand Existing Chemicals Inventory (DIW)

Group 2- Heat Resistant SAR Cover Stock

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)


4,4'-Dithiodimorpholine (103-34-4)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)
Listed on Thailand Existing Chemicals Inventory (DIW)

Rosin (8050-09-7)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)

15.3. State regulations

 **WARNING:** This product can expose you to Carbon black, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Component	State or local regulations
Carbon black(1333-86-4)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List
Zinc oxide (ZnO)(1314-13-2)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List; U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List
Thiram(137-26-8)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List; U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

SECTION 16 Other information

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

Issue date : 4/1/2026

Full text of hazard classes and H-statements

H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction

Group 2- Heat Resistant SAR Cover Stock

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

Full text of hazard classes and H-statements	
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H350	May cause cancer.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
H413	May cause long lasting harmful effects to aquatic life

Safety Data Sheet (SDS), USA

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable